




## IRRIGATING/ASPIRATING CANNULAE

For removing cortical debris or viscoelastic substances while maintaining the anterior chamber during extracapsular and intercapsular/endocapsular cataract procedures.

Code	Gauge and size	Description	Tip
M6600	● 23G/23G 0.64/0.64mm	I & A Cannula (Standard). 0.4mm port (Simcoe) 200mm silicone tubing 2.65 OD x 0.65 ID	
M6601	● 23G/23G 0.64/0.64mm	I & A Cannula (Reverse). 0.4mm port (Simcoe) 200mm silicone tubing 2.65 OD x 0.65 ID	
M6605	● 23G/23G 0.64/0.64mm	I & A Cannula Short Pattern (Standard). 0.3mm port (Simcoe) 200mm silicone tubing 2.00 OD x 1.00 ID	






## I/A Cannulae

Used for irrigating/aspirating within the anterior chamber.

Code	Gauge and size	Description	Tip
M6611	21G x 1½"	0.81 x 38mm Straight Cannula	
M6616	21G x 1½"	0.81 x 38mm Twin I & A Cannula. Straight	
M6616C	21G x 1½"	0.81 x 38mm Twin I & A Cannula. Curved	

13

## Coaxial I/A Cannulae

Code	Gauge and size	Description	Tip
M6634	18G/21G	1.24/0.81mm Coaxial I & A Cannula. 0.3 side aspiration port on inner cannula	
M6634B	18G/21G	1.24/0.81mm Coaxial I & A Cannula. 0.3 side aspiration port on inner cannula. Tip angled 45°	